



DECLARATION OF PERFORMANCES

ACCORDING TO CONSTRUCTION PRODUCTS REGULATION (EU) 305/2011

N°: 042301

1.	Unique code of the type product : Wedge anchor T option 7												
2.	Means of identification Wedge anchor 6x52 to 20x265												
3.	Intended use Mechanical fastener for use in concrete												
4.	Manufacturer : ALSAFIX 114a rue principale 67240 Gries FRANCE												
5.	Authorized representative, if any : NPD												
6.	System of constancy of performance : 1												
7.	Purpose harmonized standards: EAD 330232-01-0601 DIBt, Berlin NB 2873 -Technische Universität Darmstadt												
8.	Declaration of performance at an ETA : ETA-01/0013, 24.05.2022												
9.	Delcared performance												
	<table border="1"> <thead> <tr> <th>Essential characteristics</th> <th>Desing method</th> </tr> </thead> <tbody> <tr> <td>Characteristic resistance to tension load (static and quasi static loading) Method A</td> <td>See Annex B4, C1 and C2</td> </tr> <tr> <td>Characteristic resistance to shear load (static and quasi static loading)</td> <td>See Annex C3</td> </tr> <tr> <td>Displacements</td> <td>See Annex C4</td> </tr> <tr> <td>Characteristic resistance and displacements for seismic performance categories C1 and C2</td> <td>No performance assessed</td> </tr> <tr> <td>Durability</td> <td>See Annex B1</td> </tr> </tbody> </table>	Essential characteristics	Desing method	Characteristic resistance to tension load (static and quasi static loading) Method A	See Annex B4, C1 and C2	Characteristic resistance to shear load (static and quasi static loading)	See Annex C3	Displacements	See Annex C4	Characteristic resistance and displacements for seismic performance categories C1 and C2	No performance assessed	Durability	See Annex B1
Essential characteristics	Desing method												
Characteristic resistance to tension load (static and quasi static loading) Method A	See Annex B4, C1 and C2												
Characteristic resistance to shear load (static and quasi static loading)	See Annex C3												
Displacements	See Annex C4												
Characteristic resistance and displacements for seismic performance categories C1 and C2	No performance assessed												
Durability	See Annex B1												
10.	The performance of the product indentified in point 1 and 2 is in conformity with h tthe declared performance in point 9. This declaration of performance is issued under the sole responsibility of f the manufacturer identified in point 4.												

Signed for and on behalf of the manufacturer by

Mr.Romuald Roeckel C.E.O.
01/02/2025 in Gries

